

Annex 9: Latin America


Trends in Latin America @2050

Scenario	Trends in Latin America		2050/2020 CO ₂ Emissions
All	Market	Passenger cars, trucks and buses: Significant increases in both new vehicle sales and in-use fleets; for motorcycles, gradual declines in both new vehicle sales and in-use fleets.	
	Energy mix	Share of clean energy + CCS is 91%.	
CNF	Electrified vehicles	- Share of electrified vehicles in new vehicle sales: More than 80% for all vehicle types, with HEVs accounting for about 50% of new passenger car sales. - Share of BEVs/FCEVs in in-use vehicle fleets: 22% for passenger cars, trucks and buses and 73% for motorcycles.	-56%
	Fuel mix	64% is CNF (synthetic fuels, biofuels) + electricity + hydrogen. - CNF share represents 36% of total liquid fuel consumption in 2023.	
BEV75	Electrified vehicles	- Share of BEVs/FCEVs in new vehicle sales: 55% for passenger cars, trucks and buses and 88% for motorcycles. - Share of BEVs/FCEVs in in-use vehicle fleets: 41% for passenger cars, trucks and buses and 80% for motorcycles.	-68%
	Fuel mix	72% is CNF (synthetic fuels, biofuels) + electricity + hydrogen. - CNF share represents 24% of total liquid fuel consumption in 2023.	
NZE	Electrified vehicles	- Share of BEVs/FCEVs in new vehicle sales: 100% for all vehicle types. - Share of BEVs/FCEVs in in-use vehicle fleets: 84% for passenger cars, trucks and buses and 100% for motorcycles.	-80%
	Fuel mix	82% is biofuels + electricity + hydrogen and assuming synthetic fuel is zero. - Biofuel share represents 4% of total liquid fuel consumption in 2023.	

In all non-BAU scenarios, CO₂ emissions fall by 56% to 80% compared to 2020.
(CO₂ emissions just meet or are lower than the IPCC 1.5°C climate scenarios' -42% to -68% range in 2050.)

New Passenger Car Sales (Latin America)


(million units)



Note: Historical values are based on estimates by the IEEJ's Energy and Data Modelling Center (EDMC). Future total new vehicle sales are EDMC estimates, and EDMC estimated the powertrain mix using assumptions from JAMA scenarios.

New Truck and Bus Sales (Latin America)


(million units)



Note: Historical values are based on EDMC estimates. Future total new vehicle sales are EDMC estimates, and EDMC estimated the powertrain mix using assumptions from JAMA scenarios.

New Motorcycle Sales (Latin America)


(million units)



Note: Historical values are based on EDMC estimates. Future total new vehicle sales are EDMC estimates, and EDMC estimated the powertrain mix using assumptions from JAMA scenarios.

In-Use Passenger Car Fleet (Latin America)


(million units)



Note: Historical data based on the 2026 edition of the EDMC Handbook of Japan's & World Energy & Economic Statistics (JAMA's previous analysis was based on the Handbook's 2022 edition); in-use car fleet projections based on [IEEJ Outlook 2026](#) (published 2025); powertrain mix projections based on JAMA scenarios.

In-Use Truck and Bus Fleets (Latin America)


(million units)



Note: Historical data based on the 2026 edition of the EDMC Handbook of Japan's & World Energy & Economic Statistics (JAMA's previous analysis was based on the Handbook's 2022 edition); in-use car fleet projections based on [IEEJ Outlook 2026](#) (published 2025); powertrain mix projections based on JAMA scenarios.

In-Use Motorcycle Fleet (Latin America)


(million units)



Note: Historical values are EDMC estimates using [IRF World Road Statistics](#) and national statistics. In-use fleet projections are EDMC estimates, and EDMC estimated the powertrain mix using JAMA scenarios.

Automotive Fuel Mix (Latin America)


(In Mtoe)



Note: Historical values are EDMC estimates. EDMC also estimated future values, based on JAMA scenarios.

Energy Mix (Latin America)


(In %)



¹CCS: Carbon capture and storage is a technology used to reduce atmospheric CO₂ emissions by capturing CO₂ emitted from power plants, factories, and other sources and storing it underground or in other locations.

Note: Historical data based on [IEA World Energy Balances](#); future projections based on [IEEJ Outlook 2026](#) (published 2025).

CO₂ Emissions (Latin America)



Note: Since the results for the CNF and CNF+ scenarios are identical for Latin America, the two lines overlap in both graphs. "IPCC 1.5°C (-42% to -68%)" refers to the interquartile range of scenarios, presented in Chapter 10 of the IPCC WG III Sixth Assessment Report, that limit global warming to 1.5°C with no or limited overshoot. In those scenarios, CO₂ emissions from the global transport sector are reduced by approximately 42% to 68% by 2050 relative to 2020 levels. Values within or below this range can be regarded as consistent with the IPCC 1.5°C goal.

In all non-BAU scenarios, CO₂ emissions fall by 56% to 80% compared to 2020.
(CO₂ emissions just meet or are lower than the IPCC 1.5°C climate scenarios' -42% to -68% range in 2050.)